



FEDERACIÓN ESPAÑOLA
DE BOLOS
Edificio Casa Regional de
Cantabria
C/ Pío Baroja nº 10
28009 Madrid
www.febolos.es



GOBIERNO
DE ESPAÑA

MINISTERIO
DE CULTURA
Y DEPORTE



Consejo
Superior
de Deportes

CIRCULAR
Registro de Salida nº 00238

FECHA: 29 de septiembre de 2022

CIRCULAR Nº 5531

A: FF.AA

ASUNTO: CTO. ESPAÑA INDIVIDUAL POR CATEGORÍAS DE BOWLING- COPA PRESIDENTE
PATRONES

Adjuntamos patrones de juego para el Campeonato de España Individual por categorías - Copa Presidente.


Atentamente,



Esperanza Reverte Cristino
Secretaria General

PATRONES COPA PRESIDENTE 2022

Patrón para 1ª Masculina, Bowling Chamartín




Patrón para 2ª y 3ª Masculina, Bowling Santa Cristina

STCRISTINA22


Conditioner: Logic

Cleaner: MAX10

Zone Configuration



Cleaner Transition



Volume: 21.32

Mode: Clean and Condition

Speed: Quick Clean

Start Cleaner Spray: 0 feet


Start Squeegee: 0 feet

Start Conditioning: 6 Inches

Split Pattern: No

Zone 1	Avg	Ratio	Zone 2	Avg	Ratio	Zone 3	Avg	Ratio	Zone 4	Avg	Ratio
Left	20.80	4.42 : 1	Left	14.80	5.81 : 1	Left	9.60	8.13 : 1	Left	6.40	10.78 : 1
Right	20.80	4.42 : 1	Right	14.80	5.81 : 1	Right	9.60	8.13 : 1	Right	6.40	10.78 : 1
Center	92.00		Center	86.00		Center	78.00		Center	69.00	
Zone 5	Avg	Ratio	Zone 6	Avg	Ratio						
Left	1.20	40.00 : 1	Left	0.00	?						
Right	1.20	40.00 : 1	Right	0.00	?						
Center	48.00		Center	4.00							

Volume by Board



Patrón para Categorías Femeninas, Ilusiona Paterna



Kegel Element Challenge Chromium 6742




Oil Pattern Distance	42	Reverse Brush Drop	39	Oil Per Board	50 ul
Forward Oil Total	15.41 mL	Reverse Oil Total	10.15 mL	Volume Oil Total	25.56 mL
Tank Configuration	N/A	Tank A Conditioner	Terrain	Tank B Conditioner	Current

	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	3	50	18	4	A	111	0.0	5.1	5.1	5550
2	7L	7R	2	50	18	4	A	54	5.1	10.2	5.1	2700
3	9L	9R	2	45	18	3	A	46	10.2	15.3	5.1	2070
4	10L	10R	2	45	18	3	A	42	15.3	20.4	5.1	1890
5	10L	10R	2	40	18	3	A	42	20.4	25.5	5.1	1680
6	11L	11R	2	40	18	3	A	38	25.5	30.6	5.1	1520
7	2L	2R	0	40	22	3	A	0	30.6	35.0	4.4	0
8	2L	2R	0	40	26	2	A	0	35.0	42.0	7.0	0

	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	50	30	3	B	0	42.0	39.0	-3.0	0
2	2L	2R	0	50	22	3	B	0	39.0	28.0	-11.0	0
3	13L	13R	3	50	18	3	B	45	28.0	20.4	-7.6	2250
4	12L	12R	3	50	18	3	B	51	20.4	12.8	-7.6	2550
5	11L	11R	3	50	14	3	B	57	12.8	6.9	-5.9	2850
6	8L	8R	2	50	14	4	B	50	6.9	3.0	-3.9	2500
7	2L	2R	0	50	14	4	B	0	3.0	0.0	-3.0	0

Cleaner Ratio Main Mix 5:1 Forward
 Cleaner Ratio Back End Mix 5:1 Reverse
 Cleaner Ratio Back End Distance 59 Combined
 Buffer RPM: 4 = 720 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Middle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	6.71	1.76	1	1	1.76	6.71

